U.S. Application No. 10/535,114 Reply to Office Action of May 27, 2009 DO NOT ENTER: /A.H./

PATENT Attorney Docket No. 450100-04819

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

: Masaya Kinoshita, et al.

Serial No.

10/535,114

Filed

May 16, 2005

For

FLICKER REDUCTION METHOD, IMAGE PICKUP

DEVICE AND FLICKER REDUCTION CIRCUIT

Examiner

Hsu, Amy R.

Art Unit

2622

Confirmation No.

3614

745 Fifth Avenue New York, NY 10151 (212) 588-0800

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being transmitted via Electronic Filing Services on July 6, 2009.

Maria Lapitan
(Name of person signing transmittal)

Signature

July 6, 2009

Date of Signature

RESPONSE UNDER 37 C.F.R. §1.116

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Final Office Action mailed on May 27, 2009 having a three-month period for response set to expire on August 27, 2009, please amend the above-captioned application as follows. Applicants submit this response by the two-month date of July 27, 2009.

Frommer Lawrence & Haug, LLP 745 Fifth Avenue New York, NY 10151 212-588-0800 Customer Number 20999 **Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 19 of this paper.

**REMAINDER OF THIS PAGE INTENTIONALLY LEFT BLANK